




JSM-603-5 5" Orbital Palm Sander



JET

427 New Sanford Road
LaVergne, Tennessee 37086
Ph.: 800-274-6848
www.jettools.com

Part No. M-JSM-603-5
Revision G1 06/2014

Copyright © 2014 JET, a Division of JPW Industries, Inc.

Parts List for JSM-603-5

Index No	Part No	Description	Size	Qty
1	60301	Motor Housing		1
2	60302	Rivet		1
3	50103	Air Inlet		1
4	60304	Throttle Lever		1
5	60305	Throttle Valve		1
6	60306	Exhaust Deflector		1
7	60307	O-Ring	9.8x2.4	1
8	51208	Valve Spring		1
9	70107	O-Ring	4.8x1.9	1
10	60310	Air Regulator Nut		1
11	60311	Muffler		1
12	60312	Retaining Ring	ETWJ-2.3	2
13	BB-6000ZZ	Ball Bearing	6000z	2
14	60314	End Plate		2
15	60315	Rotor		1
16	60316	Vane		5
17	60317	Roll Pin	2x27	1
18	60318	Cylinder		1
19	60319	Retaining Ring	STW-10	1
20	60320	Counterbalance		1
21	60321	Key	1/8"x1/2"	1
22	60322	Spacer		1
23	60323	O-Ring	59.5x2	1
24	60324	Needle Bearing	BA85z	1
25	60325	Retaining Ring	STW-12	1
26	60326	Spindle		1
27	JSM-603.5P	Sanding Pad	5"	1
28	60328	Retaining Ring	RTW-28	1
29	60329	Lock Ring		1
30	60330	Guard		1
31	BB-77R8	Ball Bearing	77R8	1
35	60335	Spanner		1
	RPK-603	Repair Kit (includes index #7,8,9,16,23)		
	RBK-603	Rebuild Kit (includes index #20,21,22,25,28)		

Specifications for JSM-603-5 Orbital Palm Sander

Stock Number	JSM-603-5
Pad Size (in.)	5 Round
Free Speed (no load) (RPM)	10,000
Horsepower	1/2
Spindle Thread (in.)	5/16-24 TPI
Required Air Pressure (PSI)	90
Average Air Consumption (CFM)	18
Air Inlet Diameter (in.)	1/4 NPT
Air Hose Inside Diameter (in.)	3/8
Vibration Value (m/s ²)	7.3
Overall Length (in.)	6
Noise Level (dB)	96
Orbit Diameter	13/64" (5mm)
Net Weight (lbs.)	2.75

The above specifications were current at the time this manual was published, but because of our policy of continuous improvement, JET, reserves the right to change specifications at any time and without prior notice, without incurring obligations.

